





# VFA SERIES FIXED INDOOR LED DISPLAY






## VFA SERIES FIXED INDOOR LED DISPLAY

- Pixel pitch: P1.25 P1.86 P2 P2.5 P3.04 P4
- Cabinet size: 640\*480mm\*60mm
- Module size: 320\*160mm
- 24 months full warranty + 12 months free maintenance
- Indoor Front Service With Magnet Fixed Installation VFA Series
- Design for indoor fix installation, complete front service
- Widely applications, Different size supported
- Design with light weight and thin aluminum panel body
- For TV broadcasting studios, conference room, traffic controlrooms, boardrooms etc
- Easy to install, The upper, lower, and left and right panels can be quickly and seamlessly spliced





VFA Fix

640 SERIES

Fine Pixel Fixed Indoor Led screen



Texture

Nimble

Professional


Flat

Handy




**THINK  
OUTSIDE  
THE  
BOX**

# VFA SERIES APPEARANCE



Front view



Rear view



Side view

# SCOPE OF APPLICATIONS

## SCOPE OF APPLICATIONS



Theater



Broadcast




Control Room



Commercial

Retail shops, chain stores, TV studios, Cinemas, Airports, Museums

# PRODUCT FEATURES



## 16: 9 ratio standard

Make big screen with 16:9 ratio freely, which can match the majority of standard video perfectly

Make 2K, 4K and 8K big screen ideally and reflect the video content in its most real status at largest, by matching dot-to-dot content displaying

# VFA HD SOLUTIONS





WITHOUT HDR

HDR EFFECT


## HDR HD

HDR screens display images in high brightness perfectly. By enhancing the contrast of details in the video greatly, show details in both light and shadow more clear

VH fine pitch series supports HDR function, with brilliant display effects and great ability to show color in its most real status


## No Shell Module Design

Seamless connection




**Front View**

- Inky consistent
- High smoothness
- Wide Angle



**Rear View**


- High heat dissipation
- Strong-strength magnets
- Fire-proof material



## Wireless Connections


No cables between cabinets and no apparent cables outside the cabinet. Inner cable connection will make the transmission of signal and power more stable, and the whole will look more neat and simple.

## WIDE VISUAL ANGLE



Horizontal : 170 degree, vertical : 160 degree

# PRODUCT SPECIFICATIONS



## Specification

VF models

Pixel pitch	1.2mm	1.5mm	1.8mm	2.0mm	2.5mm
LED configuration	SMD1010	SMD1212	SMD1515	SMD1515	SMD2020
Brightness	600 nits	600 nits	600nits	600nits	600nits
Viewing angle	170°/ 160°	170°/ 160°	170°/ 160°	170°/ 160°	170°/ 160°
Scan mode	1/60	1/64	1/45	1/45	1/45
Refresh rate	≥ 3840Hz	≥ 3840Hz	≥ 3840Hz	≥3840Hz	≥3840Hz
Processing	16 bits	16 bits	16 bits	16 bits	16 bits
Module size	300mm x 168.75mm x 3mm (W x H x D)				
Panel size	600mm x 337.5mm x 3mm (W x H x D)				
Panel weight	5.2kg/pcs				
Input voltage	AC100~240V 50/60 HZ				
Power consumption (Avg)	48W/panel				
Power consumption (Max)	145W/sqm				
Working temperature	-20°C~60°C				
IP rating	IP31/IP31				
Life span	100,000 hrs				
Warranty	24 months full warranty + 12 month free maintenance				