




# VT TRANSPARENT AND RENTAL SERIES






## VT TRANSPARENT AND RENTAL SERIES

- **Transparent and grille rental led screen type**
- **P2.6/P3.9/P5.2/P10.4mm are available**
- **Cabinet size: 500\*500mm/500x1000mm**
- **Module size :500x125mm**
- **24 months full warranty + 12 months free maintenance**
- **Support indoor and outdoor application**
- **Super lightweight and slim 5.8KG/ cabinet**
- **High Transparancy up to 82%**
- **Front/Rear Easy Maintenance 100%**
- **Energy saving Avg. 260w/sqm**
- **Creative Installation Curve Optional**





## **VT Transparent & Rental Series**

Indoor & Outdoor LED screen

# ***CONTENTS***

---

**01**

**Product Overview**

**02**

**Scope of Applications**

**03**

**Product Features**

**04**

**Product Specifications**



## **PRODUCT OVERVIEW**

Design for rental fix and indoor, outdoor applications


## Product Overview




## VT Series

P2.6/3.9/5.2/10.4/15.


6



## Product Detailed Vision



## Product Detailed Vision




## **SCOPE OF APPLICATIONS**

Wide applications, curve installations

## SCOPE OF APPLICATIONS

- Multi-assembly
- Widely application
- Design for rental/fix
- Curve installations




Retail shops, chain stores, commercial buildings, Sightseeing elevator

## **PRODUCT FEATURES**

Design with high transparency and super slim

## APPEARANCE COMPACT APPEARANCE

- Fancy slim cabinet design, and high transparency plexiglass materials, light weight with very see-through, create the open view in large space indoors, and make advertising emerge into architecture and life.



## Rental Application For Stage and Events


- The cabinet and module adopt high permeability, light and thin design, up to 75%. High Transparency, and Fast installations fix for multiply stage rental using



## Curve Application

### Design for special appearance

- Aluminum profile cabinet which is lighter and thinner
- It's only 5.8kg/cabinet light which can achieve better wall mounted effect;
- Curve 90° design which fit for multiply walls and appearances




## Strong structure

Better for rental, but slim and light

- The module and box structure adopt a highly transparent and compact design. The width of the back power supply and the system box is only 35mm at the thickest part of 55mm.
- Each cabinet with location pin. Helps us install quickly and save time, corner protection reduce colliding lamps



## INTENSITY FRAME




Full seal, high protection & waterproof




Evaporation on the surface, no damage

AND



No worries about collision




No damage after collision


**Intensity structure and High precision waterproof promise the screens long working life**

## Fast Installation and Maintenance

Easy Module Disassemble, Front & Rear Maintenance



Upper & lower connecion



Connection Pieces



Upper & lower fixation

## **PRODUCT SPECIFICATIONS**

Various pixels solutions for our choice

## Specification

CT models

Pixel pitch	2.6 x 5.2mm	3.9 x 7.8 mm	5.2 x 10.4mm	3.9 x 7.8mm (Out)	5.2 x10.4mm(Out)	10.4 x10.4mm(Out)
LED configuration	SMD1515	SMD1921	SMD1921	SMD1921	SMD1921	SMD2727
Pixel Density	73728	32768	18432	32768	18432	9216
Brightness	3200 nits	2500 nits	2500 nits	5000 nits	5000nits	5500nits
Scan mode	1/12	1/8	1/4	1/8	1/4	1/2
Refresh rate	5120Hz	5120Hz	3840Hz	3840Hz	3840Hz	3840Hz
Transparency	72%	78%	72%	78%	80%	84%
Cabinet size	1000mm x 500mm x 80mm (W X H X D) It can be rotated 90 degrees to install					
Cabinet Pixel	384 x 96	256 x 64	192 x 48	256 x 64	192 x 48	96 x 48
Panel weight	5.5kg	5.8kg	5.8kg	5.8kg	5.8kg	5.8kg
Input voltage	AC100~240V 50/60 HZ					
Power consumption (Avg)	240W/sqm					
Power consumption (Max)	800W/sqm					
Working temperature & Humidity	-25°C~60°C. 10%-90% non-condensing					
IP rating	IP43	IP43	IP43	IP65	IP65	IP65
Life span	100,000 hrs					
Warranty	24 months full warranty + 12 month free maintenance					