



VCH SERIES RENTAL LED DISPLAY





VCH SERIES RENTAL LED DISPLAY

- P2.6 P3.9 P3.9 outdoor P4.8 outdoor
- Cabinet size: 500*500*69mm
- Module size: 250*250*17mm
- 24 months full warranty + 12 months free maintenance
- Indoor and outdoor rental LED display
- Design for rental and indoor, outdoor applications
- Wide applications, curve and corner installations
- Design with fast rental and super slim
- Curve lock with -10 +15 degree
- First Class Flatness



VCH SERIES

Indoor & Outdoor Rental LED Screen

ATMOZ
LED


www.atmozled.com



PRODUCT OVERVIEW

Designed for rental and indoor, outdoor applications

Product Overview




VCH Series

Indoor: P2.6/3.9
Outdoor: P3.9/4.8

- Super lightweight and slim 6.8KG/pcs
- Curve optional -10° $+15^{\circ}$
- Front/Rear Easy Maintenance 100%
- Energy Saving Avg.180w/sqm
- Creative Installation Corner Optional 45° /pcs

Product Detailed Vision




SCOPE OF APPLICATION

Wide applications, curve and corner installations

SCOPE OF APPLICATION

- Multi-assembly
- Wide application
- Design for quick rental
- Curve or corner installations




Events, Commercial shows, Conference, Performance, Advertising


PRODUCT FEATURES

Design with fast rental and super slim

APPEARANCE COMPACT APPEARANCE

- Fancy slim cabinet, and Fast lock with one man installation design, saves the strength and time
- Curve lock with -10 +15 degree
- 45 degree edge cutting optional





500x1000mm



500x500mm

Multi-Cabinet Sizes



500x500mm 45° cut

Typical and special solutions, Wide application



Hanging

Lighter weight and better thickness control of our cabinet with fast locks makes hanging more efficient



Stacking


Rigid and strong stacking frame ensures the stability of product installation



CORNER PROTECTOR FROM HIT

Protector around four-corner of cabinet to better protect cabinet from led damage







- 90 degree design
- Single cabinet 45°
- Design for special using
- Corner for Square

■ FIRST CLASS FLATNESS

- For VCH Series, the cabinet frame is produced by leading supplier for die-cast frames, well known in the industry for reliable quality control



CONCAVE AND CONVEX INSTALLATIONS




Curve cabinet unique design

Display extraordinary LED effect and visual perception


DISPLAY EFFECT

Refresh rate is up to 3840HZ, gray scale 14bit, displaying vividly



High Refresh Rate: 3840Hz

VS



Common Refresh Rate

WIDE VISUAL ANGLE



Horizontal : 170 degree, vertical : 160 degree

Specification

VCH models

Pixel pitch	2.6mm	3.9mm	3.9mm outdoor	4.8mm outdoor
LED configuration	SMD2020	SMD2020	SMD1921	SMD1921
Brightness	1000 nits	1000 nits	5000 nits	5000nits
Viewing angle	170°/ 160°	170°/ 160°	170°/ 160°	170°/ 160°
Scan mode	1/16	1/16	1/16	1/13
Refresh rate	1920/3840/7680Hz			
Processing	14/16 bits	14/16 bits	14/16 bits	14/16 bits
Module size	250mm x 250mm x 17mm (W x H x D)			
Panel size	500mm x 500mm x 69mm (W x H x D)			
Panel weight	6.8kg/pcs			
Input voltage	AC100~240V 50/60 HZ			
Power consumption (Avg)	160W/sqm	160W/sqm	180W/sqm	180W/sqm
Power consumption (Max)	600W/sqm	600W/sqm	640W/sqm	640W/sqm
Working temperature	-20°C~60°C			
IP rating	IP42/IP31	IP42/IP31	IP65/IP54	IP65/IP54
Life span	100,000 hrs			
Warranty	24 months full warranty + 12 month free maintenance			