





VI SERIES RENTAL LED DISPLAY





VI SERIES RENTAL LED DISPLAY

- P2.6 P3.9 P3.9 outdoor P4.8 outdoor
- Cabinet size: 500*500*65mm
- Module size: 250*250*17mm
- 24 months full warranty + 12 months free maintenance
- Comprehensive supply
- Rental Efficient, Durable, Economical, Practical
- Professional Rental Structure *Hanging and Stacking Installations
- Moisture-proof/Anti-collision/Anti-static/Dust-free/Anti-oxidation/Anti-blue light
- Smart Design



ATMOZ
LED

www.atmozled.com



New


ST-Pro SERIES

Innovative Rental Led screen

ST-PRO SERIES APPEARANCE



Front view




Rear view

SCOPE OF APPLICATIONS

Scope : of Applicatons


- Multi-assembly
- Widely application
- Design for quick rental
- Curve or corner installations




Events, commercial shows, Conference, Performance, Advertising

PRODUCT FEATURES

RENTAL EFFICIENT, DURABLE, ECONOMICAL, PRACTICAL





Professional Rental Structure

Atmoz R&D team design with lots of rental client ideas, Experiences from real installations. Professional rental frame make screen easy install and dismantle. At the same time, Keep cabinets with cost-effective and popular

Ergonomically Design

Typical and special solutions, wide application



Hanging and Stacking Installations

ST-Pro Series designs with light weight and easy maintenance. Lighter weight and better thickness control of our cabinet with fast locks makes hanging and stacking installations more efficiently.


Typical and special solutions, widely application

SMART DESIGN

- Compatible LED module
- No up-down direction
- Quick removable
- Power & Receiving box & hub board & connectors

Magnetic front & back Maintenance

Atmoz 5T-Pro Series cabinets supports full front services and back services, stable and convenient






- Client Can choose any color which meets its enterprise's color



Enterprise owner color choice




- ✓ Black LED, high contrast ratio
- ✓ High refresh rate, NO ghosting
- ✓ Calibration memory in LED module
- ✓ No AB module(no up and down direction installation)
- ✓ Superb visual quality, zero-gap alignment
- ✓ Superb surface flatness
- ✓ Perfect alignment no gaps
- ✓ Magnetic front service (Screw optional)
- ✓ Strong magnetics
- ✓ Strengthen housing structure design, no deformation
- ✓ Optimized heat sinking design
- ✓ Anti fire / corrosion / ultra-violet material





Concave and convex installations

- Curve cabinet unique design, Display extraordinary LED effect and visual perception



Calibration memo in LED module


- ✓ Optimized PCB board design
- ✓ 4 layers PCB
- ✓ Calibration-memo in PCB board
- ✓ Perfect match with Novastar control system
- ✓ Perfect heat sinking



Calibration


Display Effect

Refresh rate is up to 3840HZ, gray scale 14bit, displaying vividly



High Refresh Rate: 3840Hz

VS



Common Refresh Rate

Wide Visual Angle



Horizontal : 160 degree, vertical : 145 degree


Accessories



Hanging bar



Clip



Bridge



Footer



Bridge

Accessories



Flight case



Dolly



Power cable



Power cable



Vacuum suction tool

PRODUCT SPECIFICATIONS

Specification

ST-Pro models

Pixel pitch	2.6mm	3.9mm	3.9mm outdoor	4.8mm outdoor
LED configuration	SMD2020	SMD2020	SMD1921	SMD1921
Brightness	1000 nits	1000 nits	5000 nits	5000nits
Viewing angle	160°/ 145°	160°/ 145°	160°/ 145°	160°/ 145°
Scan mode	1/16	1/16	1/16	1/13
Refresh rate	1920/3840/7680Hz			
Processing	14/16 bits	14/16 bits	14/16 bits	14/16 bits
Module size	250mm x 250mm x 17mm (W x H x D)			
Panel size	500mm x 500mm x 65mm (W x H x D)			
Panel weight	6.8kg/pcs			
Input voltage	AC100~240V 50/60 HZ			
Power consumption (Avg)	160W/sqm	160W/sqm	180W/sqm	180W/sqm
Power consumption (Max)	600W/sqm	600W/sqm	640W/sqm	640W/sqm
Working temperature	-20°C~60°C			
IP rating	IP42/IP31	IP42/IP31	IP65/IP54	IP65/IP54
Life span	100,000 hrs			
Warranty	24 months full warranty + 12 month free maintenance			